

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS:

ALBAUGH, INC.
Ankeny, IA 50021

EMERGENCY TELEPHONE NUMBERS:

(800) 424-9300 (CHEMTREC, transportation and spills)

PRODUCT NAME : CLETHODIM 2E

CHEMICAL NAME : Clethodim: (E,E)-2-[1-[[3-Chloro-2-propenyl]oxy]imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one

CHEMICAL FAMILY : cyclohexanedione oxime herbicide

PRODUCT CODE : EPA Reg. No. 42750-72

SECTION 2 - COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS NUMBER	OSHA PEL	ACIGH TLV
Clethodim	25 – 27	99129-21-2	-	-
Petroleum distillates (contains)*	65 – 70	64742-94-5	-	100 ppm
*Trimethylbenzene	2 – 3	-	-	25 ppm TWA
*Naphthalene	5 – 7	91-20-3	10 ppm TWA	10 ppm TWA

SECTION 3 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

HEALTH HAZARDS: Moderate eye irritant.

PHYSICAL HAZARDS: Combustible, may release toxic fumes if burned.

ENVIRONMENTAL HAZARDS: Slightly toxic to fish, other water organisms and bees.

SECTION 4 - FIRST AID MEASURES

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Contains a petroleum distillate solvent, vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

FLASHPOINT (method): 65 C (closed cup)

FLAMMABLE LIMITS (LFL-UFL): Unknown.

FIRE AND EXPLOSION HAZARD: Combustible Liquid. Can form explosive mixtures at temperatures at or above the flashpoint. Can burn in fire, releasing irritating and toxic gases due to thermal decomposition or combustion.

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

FIRE FIGHTING INSTRUCTIONS: Evacuate nonessential persons from area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Explosive vapor could form from ruptured containers. Dike and collect water used to fight fire to prevent environmental damage due to run off. Foam or dry chemical fire extinguishing systems are preferred to prevent environmental damage from excessive water run off.

FIRE FIGHTING EQUIPMENT: Full fire fighting turn-out gear (Bunker gear) including self-contained breathing equipment.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of nitrogen and sulfur. May produce toxic compounds of chlorine.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

SMALL SPILL: Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.

LARGE SPILL: Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. After removal, clean contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container.

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

HANDLING: Use only in a well-ventilated area. Do not reuse this container.

STORAGE: Keep container closed when not in use. Keep away from food, feed and drinking water. Store in a well ventilated, dry place away from heat and other sources of ignition.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS (8 HOUR TWA): (Refer to Section 3)

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to keep exposure to airborne contaminants below the exposure limit. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION - Safety glasses or goggles.

CLOTHING - Long-sleeved shirt and long pants, Shoes plus socks,

GLOVES - Chemical-resistant gloves such as barrier laminate or viton.

RESPIRATOR - When handling in enclosed areas where exposure limits may be exceeded, use a respirator approved for pesticides.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DESCRIPTION: Dark amber liquid
ODOR: Mild aromatic
SPECIFIC GRAVITY: 0.93 – 0.98 g/mL @ 20 C (7.80 – 8.20 lb/gl)*
pH: 4.3
VAPOR PRESSURE: Unknown
VAPOR DENSITY: Unknown
WATER SOLUBILITY: Emulsifies in water.

*Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: Unstable when exposed to extremes of pH, elevated temperatures, oxygen or u.v. light.
CONDITIONS TO AVOID: Avoid temperatures above 90°F (35°C), exposure to air direct sunlight. Keep containers sealed to avoid exposure to air.
INCOMPATIBILITY WITH OTHER MATERIALS: Oxidizing materials.
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of hydrogen, nitrogen and sulfur.
HAZARDOUS POLYMERIZATION: Product will not undergo polymerization.

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: (technical)

Oral LD ₅₀ (rat)	- 5,000 mg/Kg (female)
Dermal LD ₅₀ (rat)	- > 5,000 mg/Kg
Inhalation LC ₅₀ (rat)	- > 2.0 mg/L (4 hour)
Eye Irritation (rabbit)	- Moderate
Skin Irritation (rabbit)	- Moderate
Sensitization (guinea pig)	- Non-sensitizer

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Exposure to vapors may increase tendency to respiratory or bronchial infections.

CARCINOGEN STATUS:

OSHA	-	Not listed.
NTP	-	Not listed.
IARC	-	Not listed.

MUTAGENIC DATA: No evidence of mutagenic effects during *in vivo* or *in vitro* studies.

ADDITIONAL DATA: Not known to exhibit reproductive effects. Some teratogenic (birth defect) effects were noted in rats tested at elevated doses of 700 mg/Kg/day.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwater or rinsate.

Refer to product label for additional environmental precautions.

FISH TOXICITY: (Technical)

96 hour LC₅₀, Rainbow trout – 65 mg/L
 96 hour LC₅₀, Bluegill - 120 mg/L

AVIAN TOXICITY: (Technical)

Dietary LC₅₀, Bobwhite quail - >6,000 ppm
 Dietary LC₅₀, Mallard duck - >6,000 ppm

BEE TOXICITY: Contact LD₅₀ - >100 ug/bee

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTES: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER: Non-refillable containers: Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

SECTION 14 - TRANSPORT INFORMATION

DOT SHIPPING DESCRIPTION:

Containers ≤ 119 gallons –

Not regulated

Containers > 119 gallons –

NA1993, Combustible liquid, N.O.S. (contains petroleum distillates, naphthalene), PG III, RQ (naphthalene)

DOT HAZARD CLASS:

Combustible liquid

IDENTIFICATION NUMBER:

NA1993

DOT PACKING GROUP:

PG III

DOT PRIMARY/SECONDARY LABEL:

N/A

DOT PRIMARY/SECONDARY PLACARD:

Combustible (> 119 gallons)

DOT EMERGENCY RESPONSE GUIDE #:

128

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY:

100 lb Naphthalene (180 gallons of product)

SARA TITLE III STATUS:

311/312 Hazard Categories -

Immediate, Delayed Health Effects, Fire Hazard

313 Toxic Chemicals -

Naphthalene

CALIFORNIA PROP 65:

Not listed

SECTION 16 - OTHER INFORMATION

HMIS HAZARD RATINGS	HEALTH	2
	FLAMMABILITY	2
	PHYSICAL HAZARD	1
4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal		

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

REVISED DATE: August, 2012

REVISED FOR: Revise Section 4, Section 12 and Section 13 to match EPA approved label