

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: November 2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Version: 1.0

Product IdentifierProduct Name: Sulfuric AcidSynonyms: Hydrogen Sulfate, Oil of Vitriol, H2SO4Intended Use of the ProductNot availableName, Address, and Telephone of the Responsible PartyCompanyLSB Chemical L.L.C.4500 North West Ave.P.O. Box 231El Dorado, AR 71731T (870) 863-1400 - F (870) 863-1126Emergency Telephone NumberEmergency number: (870) 863-1400, (800) 424-9300 (CHEMTREC, 24 hours)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification(GHS-US)Met. Corr. 1H290Skin Corr. 1AH314Eye Dam. 1H318Carc. 1AH350

Label Elements

GHS-US Labeling Hazard Pictograms (GHS-US)



	GH505 GH508
Signal Word (GHS-US)	: Danger
Hazard Statements (GHS-US)	: H290 - May be corrosive to metals
	H314 - Causes severe skin burns and eye damage
	H318 - Causes serious eye damage
	H350 - May cause cancer
Precautionary Statements (GHS-US)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P234 - Keep only in original container.
	P260 - Do not breathe vapors, mist, spray.
	P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection,
	respiratory protection.
	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated
	clothing. Rinse skin with water/shower.
	P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
	P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P308+P313 - If exposed or concerned: Get medical advice/attention
	P310 - Immediately call a POISON CENTER or doctor/physician
	P321 - Specific treatment (see section 4).
	P363 - Wash contaminated clothing before reuse.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P390 - Absorb spillage to prevent material damage.

P405 - Store locked up

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes, corrosive vapors. Contact with metals may evolve flammable hydrogen gas.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)	
Sulfuric acid	(CAS No) 7664-93-9	93 - 100	Met. Corr. 1, H290	
			Skin Corr. 1A, H314	
			Eye Dam. 1, H318	
			Carc. 1A, H350	

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call for medical assistance.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Immediately call for medical assistance. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call for medical assistance.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call for medical assistance.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and eye damage. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. May cause cancer.

Inhalation: Inhalation may cause immediate severe irritation progressing quickly to chemical burns. May cause cancer by inhalation of mists.

Skin Contact: Causes severe irritation which will progress to chemical burns.

Eye Contact: Causes serious eye damage.

Ingestion: Contact may cause immediate severe irritation progressing quickly to chemical burns. Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: May cause erosion of the teeth, or chronic bronchitis.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire. Evolution of heat and spattering will result.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures. May cause ignition by contact with combustible materials.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. In contact with metals, emits flammable/explosive gas.

Reactivity: Thermal decomposition generates : Corrosive vapors. Can react explosively with reducing agents, metal powders, Hydrogen sulfide, nitrate, and organic materials. Contact with metals may evolve flammable hydrogen gas.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. **Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Acrid vapors. Sulfur oxides. Corrosive vapors.

Other information: Do not allow run-off from fire fighting to enter drains or water courses. Contact with metals may evolve flammable hydrogen gas. Use water spray to disperse vapors.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do NOT breathe (vapors, mist, spray). Avoid all contact with skin, eyes, or clothing. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Cautiously neutralize spilled liquid. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage. Cautiously neutralize spilled liquid. Contact competent authorities after a spill.

Reference to Other Sections

See section 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: May be corrosive to metals. When heated to decomposition, emits toxic fumes. Corrosive vapors are released. Contact with metals may evolve flammable hydrogen gas.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, and lighting equipment.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep in fireproof place. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, combustible materials, incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Finely divided metals. Hydrogen sulfide. Reducing agents. Organic materials.

Specific End Use(s) Not available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Sulfuric acid (7664-93-9)		
Mexico	OEL TWA (mg/m³)	1 mg/m ³
USA ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1 mg/m ³
USA IDLH	US IDLH (mg/m ³)	15 mg/m ³
Alberta	OEL STEL (mg/m ³)	3 mg/m ³
Alberta	OEL TWA (mg/m³)	1 mg/m³
British Columbia	OEL TWA (mg/m³)	0.2 mg/m ³ (Thoracic, contained in strong inorganic acid
		mists)
Manitoba	OEL TWA (mg/m³)	0.2 mg/m ³
New Brunswick	OEL STEL (mg/m ³)	3 mg/m ³
New Brunswick	OEL TWA (mg/m³)	1 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m³)	0.2 mg/m ³
Nova Scotia	OEL TWA (mg/m³)	0.2 mg/m ³
Nunavut	OEL STEL (mg/m ³)	0.6 mg/m ³
Nunavut	OEL TWA (mg/m³)	0.3 mg/m ³
Northwest Territories	OEL STEL (mg/m ³)	3 mg/m ³
Northwest Territories	OEL TWA (mg/m³)	1 mg/m ³
Ontario	OEL TWA (mg/m³)	0.2 mg/m ³
Prince Edward Island	OEL TWA (mg/m³)	0.2 mg/m ³
Québec	VECD (mg/m ³)	3 mg/m ³
Québec	VEMP (mg/m ³)	1 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	0.6 mg/m ³
Saskatchewan	OEL TWA (mg/m³)	0.2 mg/m ³
Yukon	OEL STEL (mg/m ³)	1 mg/m ³
Yukon	OEL TWA (mg/m³)	1 mg/m ³

Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use explosion-proof equipment. Ensure all national/local regulations are observed. Alarm detectors should be used when toxic gases may be released. Gas detectors should be used when flammable gases/vapors may be released.

Personal Protective Equipment: Gloves. Respiratory protection of the dependent type. Protective goggles. Protective clothing.



Materials for Protective Clothing: Chemically resistant materials and fabrics. Corrosion-proof clothing. Wear fire/flame resistant/retardant clothing.

Hand Protection: Wear chemically resistant protective gloves. Acid-resistant protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory Protection: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Propert	ies	<u>s</u>
Physical State	:	Liquid
Appearance	:	Colorless to tan oily liquid
Odor	:	Odorless
Odor Threshold	:	Not available
рН	:	<1
Relative Evaporation Rate (butylacetate=1)	:	<1
Melting Point	:	Not available
Freezing Point	:	-35.6°C (-32°F) (Sulfuric acid 93.2%), -1.11°C (30°F) (Sulfuric acid 98%)
Boiling Point	:	217.8°C (424°F) (Sulfuric acid 93.2%), 327.8°C (622°F) (Sulfuric acid 98%)
Flash Point	:	Not available
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	< 0.3 mm Hg @25°C (77°F)
Relative Vapor Density at 20 °C	:	3.4
Relative Density	:	Not available
Specific Gravity	:	1.83 (Sulfuric acid 93.2%), 1.84 (Sulfuric acid 98%)
Solubility	:	Miscible.
Viscosity	:	Not available
Volatility	:	100%
Explosion Data – Sensitivity to Mechanical Impact	:	Not available
Explosion Data – Sensitivity to Static Discharge	:	Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Thermal decomposition generates : Corrosive vapors. Can react explosively with reducing agents, metal powders, Hydrogen sulfide, nitrate, and organic materials. Contact with metals may evolve flammable hydrogen gas.

Chemical Stability: The product is stable at normal handling and storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Overheating. Open flame. Incompatible materials. Adding water to acid should be avoided.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Metals. May be corrosive to metals. Reducing agents. Amines. Combustible materials.

Hazardous Decomposition Products: Thermal decomposition generates : Corrosive vapors. sulfur oxides. Explosive hydrogen gas. Toxic vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified.

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage. pH: < 1

Serious Eye Damage/Irritation: Causes serious eye damage. pH: < 1

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Teratogenicity: Not available

Carcinogenicity: Inhalation of inorganic mists containing sulphuric acid may cause cancer.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Inhalation may cause immediate severe irritation progressing quickly to chemical burns. May cause cancer by inhalation of mists.

Symptoms/Injuries After Skin Contact: Causes severe irritation which will progress to chemical burns.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Contact may cause immediate severe irritation progressing quickly to chemical burns. Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: May cause erosion of the teeth, or chronic bronchitis.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Sulfuric acid (7664-93-9)		
LD50 Oral Rat	2140 mg/kg	
LC50 Inhalation Rat (mg/l)	510 mg/m ³ (Exposure time: 2 h)	
Sulfuric acid (7664-93-9)		
IARC Group	1	
•		

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not classified

TOXICITY NOT Classifica			
Sulfuric acid (7664-93-9)			
LC50 Fish 1	500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])		
Persistence and Degradability	Persistence and Degradability		
Sulfuric Acid			
Persistence and Degradability	Not established.		
Bioaccumulative Potential			
Sulfuric Acid			
Bioaccumulative Potential	Not established.		
Sulfuric acid (7664-93-9)			
BCF fish 1 (no bioaccumulation)			
Mobility in Soil Not available			
Other Adverse Effects			
Other Information: Avoid release to the environment			

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CECTION 1	1. TO A NICOODT	INFORMATION
SECTION	4: IRANSPURI	INFURIVIATION

14.1 In Accordance with DOTProper Shipping Name:SULFURIC ACID with more than 51 percent acidHazard Class:8Identification Number:UN1830Label Codes:8Packing Group:IIERG Number:13714.2 In Accordance with IMDG:Proper Shipping Name:SULPHURIC ACIDHazard Class:8Identification Number:UN1830Packing Group:IILabel Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):SULPHURIC ACIDPacking Group:IIIdantification Number:IILabel Codes:8EmS-No. (Spillage):S-B14.3 In Accordance with IATA:Proper Shipping Name:SULPHURIC ACIDPacking Group:IIIdentification Number:UN1830Hazard Class:SULPHURIC ACIDPacking Group:IIIdentification Number:UN1830Hazard Class::Hazard Class::ERG Code (IATA)::Bale Codes::Iabel Codes::Hazard Class::Iabel Codes::Iabel Codes::Iabel Codes::Iabel Codes::Iabel Codes<
Hazard Class:8Identification Number:UN1830Label Codes:8Packing Group:IIERG Number:13714.2 In Accordance with IMDGProper Shipping Name:SULPHURIC ACIDHazard Class:Identification Number:UN1830Packing Group:ILabel Codes:SEmS-No. (Fire):F-AEmS-No. (Spillage):SULPHURIC ACIDPacking Group:I4.3 In Accordance with IATAProper Shipping Name:SULPHURIC ACIDPacking Group:I4.3 In Accordance with IATAProper Shipping Name:SULPHURIC ACIDPacking Group:IIdentification Number:UN1830Hazard Class:8Label Codes:8
Identification Number:UN1830Label Codes:8Packing Group:IIERG Number:13714.2 In Accordance with IMDGProper Shipping Name:SULPHURIC ACIDHazard Class:BIdentification Number:UN1830Packing Group:IILabel Codes:EmS-No. (Fire):F-AEmS-No. (Spillage):I4.3 In Accordance with IATAProper Shipping Name:SULPHURIC ACIDPacking Group:I4.3 In Accordance with IATAProper Shipping Name:Packing Group:IIdentification Number:UN1830Packing Group:IIdentification Number:UN1830Hazard Class:8Label Codes:8
Label Codes : 8 Packing Group : 11 ERG Number : 137 14.2 In Accordance with IMDG Proper Shipping Name : SULPHURIC ACID Hazard Class : 8 Identification Number : UN1830 Packing Group : 11 Label Codes : 8 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B 14.3 In Accordance with IATA Proper Shipping Name : SULPHURIC ACID Packing Group : 11 Identification Number : UN1830 Hazard Class : 8 Label Codes : 8
Packing Group:IIERG Number:13714.2 In Accordance with IMDG.Proper Shipping Name:SULPHURIC ACIDHazard Class:8Identification Number:IILabel Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):Solution Solution Sol
ERG Number:13714.2 In Accordance with IMDG
14.2 In Accordance with IMDGProper Shipping Name:SULPHURIC ACIDHazard Class:8Identification Number:UN1830Packing Group:IILabel Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):S-B14.3 In Accordance with IATAProper Shipping Name:SULPHURIC ACIDPacking Group:IIIdentification Number:IUN1830Hazard Class:8:Label Codes:8:
Proper Shipping Name:SULPHURIC ACIDHazard Class:8Identification Number:UN1830Packing Group:ILabel Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):S-B14.3 In Accordance with IATA•Proper Shipping Name:SULPHURIC ACIDPacking Group:IIdentification Number:Identification Number:8:Label Codes:8:
Hazard Class:8Identification Number:UN1830Packing Group:IILabel Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):S-B14.3 In Accordance with IATA
Identification Number:UN1830Packing Group:IILabel Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):S-B:14.3 In Accordance with IATAProper Shipping Name:SULPHURIC ACIDPacking Group:IIIdentification Number:UN1830Hazard Class:8
Packing Group:IILabel Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):S-B14.3 In Accordance with IATAProper Shipping Name:SULPHURIC ACIDPacking Group:IIdentification Number:UN1830Hazard Class:8Label Codes:
Label Codes:8EmS-No. (Fire):F-AEmS-No. (Spillage):S-B14.3 In Accordance with IATA
EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B 14.3 In Accordance with IATA ************************************
EmS-No. (Spillage):S-B14.3 In Accordance with IATAProper Shipping Name:SULPHURIC ACIDPacking Group:Identification Number:UN1830Hazard Class:Label Codes:
14.3 In Accordance with IATA Proper Shipping Name : SULPHURIC ACID Packing Group : Identification Number : With Hazard Class : Label Codes :
Proper Shipping Name : SULPHURIC ACID Packing Group : II Identification Number : UN1830 Hazard Class : 8 Label Codes : 8
Packing Group : II Identification Number : UN1830 Hazard Class : 8 Label Codes : 8
Identification Number: UN1830Hazard Class: 8Label Codes: 8
Hazard Class : 8 Label Codes : 8
Label Codes : 8
ERG Code (IATA) : 8L
14.4 In Accordance with TDG
Proper Shipping Name : SULPHURIC ACID with more than 51 per cent acid
Packing Group : II
Hazard Class : 8
Identification Number : UN1830
Label Codes : 8

SECTION 15: REGULATORY INFORMATION

US Federal Regulations	
Sulfuric Acid	

Sulturic Acid	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Reactive hazard
	Fire hazard

Sulfuric acid (7664-93-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 302 (Specific toxic chemical listings) Listed on SARA Section 313 (Specific toxic chemical listings) SARA Section 302 Threshold Planning Quantity (TPQ) 1000

SARA Section Soz Threshold Flamming Quantity (TPQ)	1000
SARA Section 313 - Emission Reporting	1.0 % (acid aerosols including mists, vapors, gas, fog, and other
	airborne forms of any particle size)

US State Regulations

Sulfuric acid (7664-93-9)		
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of	
	California to cause cancer.	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sulfuric acid (7664-93-9)

Strong inorganic acid mists containing sulfuric acid are present on the State of California list of Chemicals Known to the State to Cause Cancer or Reproductive Toxicity (Cal Prop 65). U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Chronic U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728) U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Idaho - Occupational Exposure Limits - TWAs U.S. - Illinois - Toxic Air Contaminant Carcinogens U.S. - Illinois - Toxic Air Contaminants U.S. - Louisiana - Reportable Quantity List for Pollutants U.S. - Maine - Air Pollutants - Hazardous Air Pollutants U.S. - Massachusetts - Allowable Ambient Limits (AALs) U.S. - Massachusetts - Allowable Threshold Concentrations (ATCs) U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Right To Know List U.S. - Massachusetts - Threshold Effects Exposure Limits (TELs) U.S. - Massachusetts - Toxics Use Reduction Act U.S. - Michigan - Occupational Exposure Limits - TWAs U.S. - Michigan - Polluting Materials List U.S. - Minnesota - Chemicals of High Concern U.S. - Minnesota - Hazardous Substance List U.S. - Minnesota - Permissible Exposure Limits - TWAs U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New Jersey - Environmental Hazardous Substances List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New Jersey - Special Health Hazards Substances List U.S. - New York - Occupational Exposure Limits - TWAs U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - North Carolina - Control of Toxic Air Pollutants U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities U.S. - Oregon - Permissible Exposure Limits - TWAs U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories U.S. - Tennessee - Occupational Exposure Limits - TWAs U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

Canadian Regulations

Sulfuric Acid	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
	Class E - Corrosive Material
Sulfuric acid (7664-93-9)	
Listed on the Canadian DS	L (Domestic Substances List) inventory.
Listed on the Canadian Ing	redient Disclosure List
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects
	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION

Revision date	: November 2017
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA
	Hazard Communication Standard 29 CFR 1910.1200.
GHS Full Text Phrases:	

ene run rexer mases.	
Carc. 1A	Carcinogenicity Category 1A
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H350	May cause cancer
NFPA Health Hazard NFPA Fire Hazard NFPA Reactivity	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 0 - Materials that will not burn. 2 - Normally unstable and readily undergo violent decomposition but do not detonate. Also: may react violently with water or may form potentially explosive mixtures with water.
NFPA Specific Hazard	 W - Unusual reactivity with water. This indicates a potential hazard using water to fight a fire involving this material. When a compound is both water-reactive and an oxidizer, the W/bar symbol should go in this quadrant and the OX warning is placed immediately below the NFPA diamond.

Sulfuric Acid Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Party Responsible for the Preparation of This Document

LSB Chemical L.L.C. P.O. Box 231 El Dorado, AR 71731 (870) 863-1400

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS